according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 5 Jun 2023 Print date: 16 Jun 2023

Version: 1



## **Nuke Guys Thicky Sticky Snow Foam**

# **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

### Nuke Guys Thicky Sticky Snow Foam

#### **Article No.:**

20032256

UFI:

4S00-R000-H00P-S0Q8

# 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Automotive care products

### 1.3. Details of the supplier of the safety data sheet

### Supplier (manufacturer/importer/only representative/downstream user/distributor):

#### **Motodox GmbH**

Niedernberger Strasse 10 63741 Aschaffenburg

Germany

**Telephone:** +49 (0) 6021 45480 0 **E-mail:** service@motodox.de **Website:** www.motodox.de

**E-mail (competent person):** vl@motodox.de

### 1.4. Emergency telephone number

24h: +49 172 6917313, +49 6021 45480 88 (Only available during office hours.)

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	Calculation method.

### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



GHS05 Corrosion

Signal word: Danger

### Hazard components for labelling:

D-Glucopyranose, oligomers, decyl octyl glycosides; Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Hazard statements	for healt	h hazaro	ds				
H318	Causes se	rious eye	damage.				

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 5 Jun 2023 Print date: 16 Jun 2023

Version: 1 Page 2/8



### **Nuke Guys Thicky Sticky Snow Foam**

#### Supplemental hazard information: none

Precautionary statements Prevention		
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/	

Precautionary statements Response		
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor/	

#### 2.3. Other hazards

No data available

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 68515-73-1 EC No.: 500-220-1	<b>D-Glucopyranose, oligomers, decyl octyl glycosides</b> Eye Dam. 1 (H318)	2 - < 4 weight-%
REACH No.: 01-2119488530-36	♦ Danger	
CAS No.: 68891-38-3 EC No.: 500-234-8	Alcohols, C12-14, ethoxylated, sulfates, sodium salts Aquatic Chronic 3 (H412), Eye Dam. 1 (H318), Skin Irrit. 2 (H315)	1 - < 3 weight-%
REACH No.: 01-2119488639-16	◆ Danger	

Full text of H- and EUH-phrases: see section 16.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information:**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

### Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

#### After eve contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### Following ingestion:

Rinse mouth. Let 1 glass of water be drunken in little sips (dilution effect). Get medical advice/attention if you feel unwell.

### Self-protection of the first aider:

Use personal protection equipment.

### 4.2. Most important symptoms and effects, both acute and delayed

Serious eye damage/eye irritation

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 5 Jun 2023 Print date: 16 Jun 2023

Version: 1



### **Nuke Guys Thicky Sticky Snow Foam**

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

### **Hazardous combustion products:**

In case of fire: Gases/vapours, toxic

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

### **Personal precautions:**

Remove persons to safety.

#### **Protective equipment:**

Wear protective gloves/protective clothing/eye protection/face protection.

### 6.1.2. For emergency responders

### **Personal protection equipment:**

Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up:

Water (with cleaning agent)

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### 6.5. Additional information

Use appropriate container to avoid environmental contamination.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### **Protective measures**

### Advices on safe handling:

Wear personal protection equipment (refer to section 8).

#### Fire prevent measures:

No special measures are necessary.

### Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

**Storage class (TRGS 510, Germany):** 12 – non-combustible liquids that cannot be assigned to any of the above storage classes

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 5 Jun 2023 Print date: 16 Jun 2023

**Version:** 1 Page 4/8



## **Nuke Guys Thicky Sticky Snow Foam**

### 7.3. Specific end use(s)

No data available

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

No data available

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No data available

### 8.2.2. Personal protection equipment





#### Eye/face protection:

Eye glasses with side protection EN 166

### Skin protection:

Tested protective gloves must be worn EN ISO 374

Suitable material: NBR (Nitrile rubber)

Breakthrough time: 480min

In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

### 8.2.3. Environmental exposure controls

No data available

### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state: Liquid Colour: colourless

**Odour:** not determined

### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
рН	10 - 11	20 °C	
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	No data available		
Decomposition temperature	No data available		
Flash point	not applicable		
Evaporation rate	No data available		
Auto-ignition temperature	No data available		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Density	≈ 1 g/cm³	20 °C	
Relative density	No data available		
Bulk density	No data available		
Water solubility	completely miscible		
Partition coefficient: n-octanol/water	No data available		
Dynamic viscosity	No data available		

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 5 Jun 2023 Print date: 16 Jun 2023

Version: 1



# **Nuke Guys Thicky Sticky Snow Foam**

Parameter	Value	① Method ② Remark
Kinematic viscosity	No data available	

#### 9.2. Other information

No data available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product itself does not burn.

#### 10.2. Chemical stability

No data available

### 10.3. Possibility of hazardous reactions

No data available

#### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

No data available

### 10.6. Hazardous decomposition products

In case of fire: Gases/vapours, toxic

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

D-Glucopyranose, oligomers, decyl octyl glycosides CAS No.: 68515-73-1 EC No.: 500-220-1

LD<sub>50</sub> oral: >2,000 mg/kg (rat)

LD<sub>50</sub> dermal: >2,000 mg/kg (rabbit) OECD Guideline 402 (Acute Dermal Toxicity)

 $\textbf{Alcohols, C12-14, ethoxylated, sulfates, sodium salts} \quad \text{CAS No.: } 68891\text{-}38\text{-}3 \quad \text{EC No.: } 500\text{-}234\text{-}8$ 

**LD<sub>50</sub> oral:** 4,100 mg/kg (Rat) **LD<sub>50</sub> dermal:** >2,000 mg/kg (Rat)

LC<sub>50</sub> Acute inhalation toxicity (dust/mist): 4,000 mg/L (Rat)

### Acute oral toxicity:

Based on available data, the classification criteria are not met.

### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

### Serious eye damage/irritation:

Causes serious eye damage.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### **Carcinogenicity:**

Based on available data, the classification criteria are not met.

### Reproductive toxicity:

Based on available data, the classification criteria are not met.

### STOT-single exposure:

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 5 Jun 2023 Print date: 16 Jun 2023

Version: 1 Page 6/8



## **Nuke Guys Thicky Sticky Snow Foam**

#### **STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

#### Aspiration hazard:

Based on available data, the classification criteria are not met.

### **Additional information:**

No data available

#### 11.2. Information on other hazards

No data available

### **SECTION 12: Ecological information**

### 12.1. Toxicity

### D-Glucopyranose, oligomers, decyl octyl glycosides CAS No.: 68515-73-1 EC No.: 500-220-1

LC50: 100.81 mg/L 4 d (fish, Danio rerio (previous name: Brachydanio rerio)) ISO 7346/1-3 (Determination of the Acute Lethal Toxicity of Substances to a Freshwater Fish [Brachydanio rerio Hamilton-Buchanan (Teleostei, Cyprinidae)])

EC<sub>50</sub>: >100 mg/L 2 d (crustaceans, Daphnia magna)

EC50: 27.22 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus (previous name: Scenedesmus subspicatus))

DIN 38412, part 9

**NOEC:** ≥100 mg/L 2 d (crustaceans, Daphnia magna)

LC<sub>50</sub>: 126 mg/L 4 d (fish, Brachydanio rerio)

EC<sub>50</sub>: 27 mg/L 3 d (Algae/water plant, Scenedesmus subspicatus)

NOEC: 1.8 mg/L (fish, Danio rerio)

### Alcohols, C12-14, ethoxylated, sulfates, sodium salts CAS No.: 68891-38-3 EC No.: 500-234-8

LC<sub>50</sub>: 7.1 mg/L 4 d (fish, Brachydanio rerio) OECD 203

EC<sub>50</sub>: 7.4 mg/L 2 d (crustaceans, Daphnia magna) OECD 202

EC<sub>50</sub>: >10 - 100 mg/L 3 d (Algae/water plant, Alge) OECD 201

LC50: 7.1 mg/L 4 d (fish, fish)

**EC<sub>50</sub>:** 7.2 mg/L 2 d (crustaceans, Daphnia magna)

NOEC: 0.27 mg/L 21 d (crustaceans, Daphnia magna)

### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

### Partition coefficient: n-octanol/water:

No data available

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

D-Glucopyranose, oligomers, decyl octyl glycosides CAS No.: 68515-73-1 EC No.: 500-220-1

Results of PBT and vPvB assessment: -

Alcohols, C12-14, ethoxylated, sulfates, sodium salts CAS No.: 68891-38-3 EC No.: 500-234-8

Results of PBT and vPvB assessment: -

### 12.6. Endocrine disrupting properties

No data available

### 12.7. Other adverse effects

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 5 Jun 2023 Print date: 16 Jun 2023

Version: 1



## **Nuke Guys Thicky Sticky Snow Foam**

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### Waste treatment options

### Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

### **SECTION 14: Transport information**

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)			
14.1. UN number or ID number						
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.			
14.2. UN proper ship	ping name	,				
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.			
14.3. Transport hazard class(es)						
not relevant	not relevant	not relevant	not relevant			
14.4. Packing group						
not relevant	not relevant	not relevant	not relevant			
14.5. Environmental hazards						
not relevant	not relevant	not relevant	not relevant			
14.6. Special precau	14.6. Special precautions for user					
not relevant	not relevant	not relevant	not relevant			

### 14.7. Maritime transport in bulk according to IMO instruments

No data available

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

### 15.2. Chemical Safety Assessment

No data available

### **SECTION 16: Other information**

### 16.1. Indication of changes

No data available

### 16.2. Abbreviations and acronyms

No data available

### 16.3. Key literature references and sources for data

Substance name	Туре	source of supply
D-Glucopyranose, oligomers, decyl octyl glycosides CAS No.: 68515-73-1 EC No.: 500-220-1		Source: European Chemicals Agency, http://echa.europa.eu/

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 5 Jun 2023 Print date: 16 Jun 2023

**Version:** 1 Page 8/8



# **Nuke Guys Thicky Sticky Snow Foam**

# 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	Calculation method.

### 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements		
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H412	Harmful to aquatic life with long lasting effects.	

### 16.6. Training advice

No data available

### 16.7. Additional information

No data available